

FIG. 1A
(PRIOR ART)




FIG. 1B
(PRIOR ART)




FIG. 1C
(PRIOR ART)




FIG. 1D
(PRIOR ART)




FIG. 2A
(prior art)




FIG. 2B
(prior art)




FIG. 3




FIG. 4A





FIG. 4B






FIG. 5B




FIG. 6A




FIG. 6B

701

	INVOKING METHOD	PLUG IN MODULE
(method_1)	C ₁ , M ₁ , args ₁₁	PIM_A
(method_2)	C ₁ , M ₂ , args ₁₂	PIM_A
(method_3)	C ₂ , M ₁ , args ₂₁	PIM_B
(method_4)	C ₃ , M ₁ , args ₃₁	PIM_A

FIG. 7




FIG. 8

Invocation Tree

900





FIG. 9A






FIG. 9D




FIG. 9E




FIG. 10A




FIG. 10B





FIG. 11A






FIG. 12




FIG. 13

FOR EACH CLASSFILE HAVING
A METHOD TO BE MODIFIED:




FIG. 14




FIG. 15A




FIG. 15B




FIG. 16




FIG. 17




FIG. 18




FIG. 19A




FIG. 19B




FIG. 19C





FIG. 19D



1940

FIG. 19E

```
// Direct modification of a file
CFModifier modifier = new CFModifier();
modifier.modify("D:/temp/A.class", null);

// Modification in a classloader
Class defineModifiedClass(byte[] data) {
    CFModifier modifier = new CFModifier();
    byte[] data1 = modifier.modify(data);
    return defineClass(data1);
}
```






FIG. 19F

BEST AVAILABLE COPY

ANT Builder 1902
EXT 1903



```

<taskdef name="modify"
  classname="com.sap.engine.library.bytecode.modifier.ModifierTask"
  classpath="bytecode.jar"/>
<modify conf="bytecode-modifier.properties"
  inputFile="D:\temp\classes" outputFile="D:\temp\classes1"
  check="true" verbosity="2" fallonerror="true"/>

```



1950

FIG. 19G